Lyciasalamandra fazilae		Region	: 10					
Taxonomic Authority: (Başoğlu and Atatür, 1974) Synonyms:			Common Names:					
Synonyms.		Comm	n names.					
Order: Caudata		Family	Salamandridae					
	ormerly considered to be			hchani. It has been ele	vated to species			
	ed to Lyciaslamandra, t	by Veith and Ste	eintartz (2004).					
General Information			_					
Biome	 Terrestrial 	Freshwate						
Geographic Range of species:Habitat and Ecology Information:This species is restricted to the southern Anatolian coast, Turkey, where it is found from northeast of Fethiye to the western shore of Koycegiz Golu. It is found from sea level to 1,000 m asl.It is associated with rocky limestone outcrop areas. The vegetation at suitable sites varies, but it is generally found in marqui or pine 								
Conservation Measures: Threats: It is present in some protected forests, although these are not national parks. There is a need to protect this species with national legislation. Threats: There is generally a low human population and little tourism in the area where it is found, and generally no habitat loss is taking place. It is potentially threatened by habitat loss caused by forest fires and by overcollection for scientific purposes.								
Species population information: It is not very common in its habitat.								
	Native - Native - Presence Presence Confirmed Possible	Extinct Reir	troduced Introduced	Vagrant				
Turkey								
	Native - Native - Presence Presence Confirmed Possible	Extinct Rei	ntroduced Introduced					
Upper Level Habitat Preferences	<u>s</u> s		r Level Habitat Pi	references	Score			
 1.4 Forest - Temperate 3.8 Shrubland - Mediterranean-type Shru 	hby Vegetation	1 1						
		I						
Major threats		<u>Cons</u>	ervation Measure	<u>s</u>				
Code Description of threat			Conservation measur	es	In place Needed			
1 Habitat Loss/Degradation (human	,		Policy-based actions					
1.7 Fires			Legislation Development					
 Harvesting (hunting/gathering) Cultural/scientific/leisure activities 			National level					
3.5.3 Regional/international trade		✓ 1.2.1.2✓ 3	Research actions					
9 Intrinsic factors		_	Taxonomy					
9.9 Restricted range		✓ 3.1✓ 3.2	Population numbers ar	nd range				
	<u> </u>	3.3	Biology and Ecology	0-				
			Threats					
		3.8	Conservation measure	s				
		3.9	Trends/Monitoring					
		4	Habitat and site-based	actions				
		4.1	Maintenance/Conserva	ation	\checkmark			
		4.4	Protected areas					
		4.4.2	Establishment					

ruiposeriype oi ose	อนมรารเลาเต	ะ เงลแบแล		auvnai	ouier purpose.
15. Sport hunting/specimen collecting		\checkmark	V		
Primary forms removed from the wild 1. Whole animal/plant	100% >75% ✔	6 51-75%	26-50%	<25%	Other forms removed from the wild:
Source of specimens in commercial trade Wild	 100% >75% ✔	6 51-75%	26-50%	<25%	Other source of specimens:
Trend in wild offtake/harvest in relation to to		n numbers ov	er last five	e years:	Unknown
Trend in offtake/harvest produced through d CITES: Not listed	omestication/cul	ivation over la	ist five yea	ars:	
Red Listing					
Red List Assessment: Endangered (EN)		P	ossibly Ex	tinct	
Red List Criteria: B1ab(iii)					
fev					e is less than 5,000 km2, all individuals are in inuing decline in the extent and quality of its
Current Population Trend: Decreasing		Date o	of Assessr	nent:	12/17/2004
Assessor(s): Varol Tok, Ismail H. Ugurtas, N	/lurat Sevinç, Pierr	e-André Croch	et, Theodo	re Papen	fuss, Max Sparreboom, Sergius Kuzmin, Stev
indicated that the spe industry (this includes	cies was threaten s urbanisation, roa ns, the species Lyc	ed in Turkey by d widening, and iasalamandra t	the develo the remo fazilae is h	opment o val of lime ere listed	alamandra luschani. The former assessment f the Turkish coastline mainly for the tourism estone rocks for construction purposes). In as Endangered until its conservation status 15.

Bibliography

Veith, M. and Steinfartz, S., 2004, When non-monophyly results in taxonomic consequences - the case of Mertensiella within the Salamandridae (Amphibia: Urodela)., Salamandra, , , 40:, 67-80, ,

Veith, M., Baran, I., Godmann, O., Kiefer, A., Öz, M. and Tunç, M.R., 2001, A revision of population designation and geographic distribution of the Lycian Salamander Mertensiella luschani (Steindachner, 1891)., Zoology in the Middle East, , , 22:, 67-82, ,

Weisrock, D.W., Macey, J.R., Ugurtas, I.H., Larson, A. and Papenfuss, T.J., 2001, Molecular phylogenetics and historical biogeography among Salamandrids of the "true" salamander clade: rapid branching of numerous highly divergent lineages in Mertensiella luschani associated with the rise of Anatolia, Molecular Phylogenetics and Evolution, , , 18(3), 434-448, ,

Arnold, E.N., 2003, , , Reptiles and amphibians of Europe, , , 288, Princeton University Press,

Baran, I. and Atatür, M.K., 1998, , , Turkish herpetofauna (amphibians and reptiles), , , 214 pp, Republic of Turkey Ministry of Environment, Ankara

Baran, I. and Ücüncü, S., 1994, The state of Mertensiella luschani in Turkey, Mertensiella, , , 4, 33-40, ,

, 1997, , , Atlas of Amphibians and Reptiles in Europe, Gasc, J.-P., , 494, Societas Europea Herpetologica & Museum National d'Histoire Naturelle, Paris

Griffiths, R.A., 1996, , , Newts and Salamanders of Europe, , , 188 pp, Poyser Natural History, London

Olgun, K., Miaud, C. and Gautier, P., 2001, Age, growth and survivorship in the viviparous salamander Mertensiella luschani from southwestern Turkey, Canadian Journal of Zoology, , , 79, 1559-1567, ,

Steinfartz, S. and Mutz, T., 1999, Mertensiella luschani (Steindachner, 1891) Lykischer Salamander, Kleinasiatischer Salamander, , Handbuch der Reptilien und Amphibien Europas. Schwanzlurche I (Hynobiidae, Proteidae, Plethodontidae, Salamandridae 1: Pleurodeles, Salamandrina, Euproctus, Chioglossa, Mertensiella), Grossenbacher, K.G. and Thiesmeier, B., , 367-397, Aula-Verlag, Wiesbaden

Thorn, R., 1968, Les Salamandres d'Europe, d'Asia, et d'Afrique du Nord, , , , , , 376 pp, Éditions Paul Lechevalier, Paris

Özeti, N. and Yilmaz, I., 1994, Türkiye amphibileri, Ege Üniversitesi Fen Fakültesi Kitaplar Serisi, , , 151, 221, , Izmir

Veith, M., Steinfartz, S., Zardoya, R., Seitz, A. and Meyer, A., 1998, A molecular phylogeny of "true" salamanders (family Salamandridae) and the evolution of terrestriality of reproductive modes, Journal of Zoological Systematics and Evolutionary Research, , , 36, 7-16, ,

Başoğlu, M. and Atatür, M., 1974, The subspecific division of the Lykian Salamander, Mertensiella luschani (Steindachner) in Southwestern Anatolia., Compt.-Rend. XI Congr. Europ. d'Herpét., Bull. Soc. Zool. France, , , 100, 635., ,