Rana lessonae			Region:	10		
Taxonomic Authority: Camerano, 1	1882		J			
Synonyms:			Common I	Names:		
			Pool Frog			English
			Prudovaya	Lyagushka		Russian
			rana di Les	sona		Italian
			Rana Verd	e Minore		Italian
			Zaba Jezio	rkowa		Polish
Order: Anura			Family:	Ranidae		
Notes on taxonomy:						
General Information						
Biome	✓ Terrestrial	√ F	reshwater		Marine	
Geographic Range of species:	v remediation	<u>•</u> 1		d Ecology In	-	
This species is distributed over much of the southern Ural Mountains of Russia. Peninsula (except for introductions to Side Gata] and unspecified localities in Givalenciana), much of Scandinavia, cendistribution not known but thought to be Balkans. It was possibly native (now exmay occur up to 1,550m asl in southern Conservation Measures: It is listed on Appendix III of the Berne the EU Natural Habitats Directive. It is in many countries and is recorded on a national Red Data books and lists. It is areas. In parts of the species' range, mroad kill have been established.	and ditches, often covered with dense herbaceous vegetation. It breeds					
Species population information:						
Although this species is reported to be European range (Gasc et al., 1997), it is common in Poland, the Baltic Republic Ukraine.	remains widespread an	d				
Country Distribution	Native - Native Presence Preser Confirmed Possi	nce Exti	nct Reintro	duced Introd	uced Vag	grant
Austria		Ī				
Belarus		Ī				

Country Distribution	Native - Presence Confirmed	Native - Presence Possible	Extinct	Reintroduced	Introduced	Vagrant
Austria	✓					
Belarus	✓					
Belgium	✓					
Bosnia and Herzegovina	✓					
Croatia	✓					
Czech Republic	✓					
Estonia	✓					
France	✓					
Germany	✓					
Hungary	✓					
Italy	✓					
Latvia	✓					
Liechtenstein	✓					
Lithuania	✓					
Luxembourg	✓					
Moldova	✓					
Netherlands	✓					
Norway	✓					
Poland	✓					
Romania	✓					
Russian Federation	✓					
Slovakia	✓					
Slovenia	✓					

Spain			✓	
Sweden	✓			
Switzerland	✓			
Ukraine	✓			
United Kingdom		✓		
Serbia and Montenegro	✓			

Native - Native -

Presence Presence Confirmed Possible

Extinct Reintroduced Introduced

FAO Marine Habitats

Major Lakes

Major Rivers

Upper Level Habitat Preferences	Score	Lower Level Habitat Preferences	Score
1.4 Forest - Temperate	1	Broadleaf Forest	1
3.4 Shrubland - Temperate	1	Conifer Forest	1
4.4 Grassland - Temperate	1	Cool Broadleaf Forest	1
5.1 Wetlands (inland) - Permanent Rivers/Streams/Creeks (includes waterfalls)	2	Cool Conifer Forest Cool Crops and Towns	1
5.2 Wetlands (inland) - Seasonal/Intermittent/Irregular Rivers/Streams/Creeks	2	Cool Fields and Woods	2
5.4 Wetlands (inland) - Bogs, Marshes, Swamps, Fens, Pe	atlands 1	Cool Forest and Field	1
5.5 Wetlands (inland) - Permanent Freshwater Lakes (over		Cool Mixed Forest	1
5.6 Wetlands (inland) - Seasonal/Intermittent Freshwater La (over 8ha)	,	Crops and Towns Crops, Grass, Shrubs	1
5.7 Wetlands (inland) - Permanent Freshwater Marshes/Po	ols 1	Deciduous Broadleaf Wood	1
(under 8ha)	013 1	Fields and Woody Savanna	1
5.8 Wetlands (inland) - Seasonal/Intermittent Freshwater Marshes/Pools (under 8ha)	1	Forest and Field	1
5.13 Wetlands (inland) - Permanent Inland Deltas	1	Grass Crops	2
11.1 Artificial/Terrestrial - Arable Land	1	Low Sparse Grassland	2
11.2 Artificial/Terrestrial - Pastureland	1	Marsh Wetland	1
11.3 Artificial/Terrestrial - Plantations	1	Mire, Bog, Fen	1
11.4 Artificial/Terrestrial - Rural Gardens	2	Mixed Forest	1
11.5 Artificial/Terrestrial - Urban Areas	1	Small Leaf Mixed Woods	1
12.1 Artificial/Aquatic - Water Storage Areas (over 8ha)	1	Urban	1
12.2 Artificial/Aquatic - Ponds (below 8ha)	1	Woody Savanna	2
12.3 Artificial/Aquatic - Aquaculture Ponds	1		
12.5 Artificial/Aquatic - Excavations (open)	2		
12.6 Artificial/Aquatic - Wastewater Treatment Areas	2		
12.8 Artificial/Aquatic - Seasonally Flooded Agricultural Land	1 2		
13 Introduced vegetation	2		
Major threats		Conservation Measures	

Major threats Conservation Measures Code **Description of threat** Past Present Future Code Conservation measures In place Needed 1 Habitat Loss/Degradation (human induced) **✓ ~ ~** 1 Policy-based actions **~ ✓ V V** 1.1 Agriculture 1.2 Legislation **~ v** 1.1.1 Crops **~ V** 1.2.1 Development **~** 1.1.1.3 Agro-industry farming **v ~ ✓** 1.2.1.1 International level **~** 1.1.4 Livestock **v ~ ✓** 1.2.1.2 National level **~ v ~ ~** 1.1.4.3 Agro-industry 1.2.1.3 Sub-national level **~** 1.4 Infrastructure development **v ~ ~** 1.2.2 Implementation **~ ~ ~** 1.4.2 Human settlement **~** 1.2.2.1 International level **~** 2 Invasive alien species (directly affecting the **✓ ~ ✓** 1.2.2.2 National level **~** species) 3 Research actions **~ ✓ ~** 2.2 Predators **~** 3.1 Taxonomy **~ ~** 6 Pollution (affecting habitat and/or species) **✓ ✓** 3.2 Population numbers and range **~** 6.3 Water pollution **✓ ~ ~** 3.3 Biology and Ecology **~** 6.3.1 Agriculture **✓ ~ ~**

6.3.2	Domestic		✓	✓	✓ 3.4	Habitat st	atus			✓
6.3.3	Commercial/Indus	trial	\ \ \ \	✓	✓ 3.5	Threats				✓
8	Changes in native	species dynamics	✓	✓	✓ 3.6	Uses and harvest levels				✓
8.1	Competitors		✓	✓	✓ 3.8	Conserva	ition mea		✓	
					3.9	Trends/M	onitoring			✓
					4	Habitat a	nd site-ba	ased actions	✓	✓
					4.1	Maintena	nce/Con	servation	✓	✓
					4.2	Restorati	on			✓
					4.4	Protected	l areas		✓	✓
					4.4.2	Establish	ment		✓	
					4.4.3	Managen	nent		✓	✓
<u>Utilisa</u>	tion of Species									
Purpos	se/Type of Use		Sub	sistence	Nationa	l Interna	ational	Other purpose:		
1. Food - human					✓	✓				
Primary forms removed from the wild			100%	>75%	51-75%	26-50%	<25%	Other forms removed f	rom the wil	d:
Whole animal/plant			✓							
Source of specimens in commercial trade			100%	>75%	51-75%	26-50%	<25%	Other source of specimens:		
Wild			✓							
Trend	in wild offtake/har	vest in relation to tot	al wild po	pulation	numbers ov	er last five	e years:	Increasing		
Trend	in offtake/harvest	produced through de	omesticat	ion/cultiv	ation over la	ast five ye	ars:			
CITES	: Not listed									
Red I	_isting									
Red Li	st Assessment:	Least Concern (LC)			P	ossibly Ex	tinct			
Red Li	st Criteria:									
Ration	ale for the Red Lis							, tolerance of a broad range		•
			esumed lar a more thre			cause it is	unlikely t	o be declining fast enough	to qualify fo	r listing
Currer	nt Population Tren				0 ,	of Assessi	ment:	4/5/2004		
Asses	sor(s): Sergius k	Kuzmin, Trevor Beebe	e, Franco	Andreone,	, Per Nyströn	n, Brandon	Anthony	, Benedikt Schmidt, Agnies	szka Ogrodo	wczyk,
Notes	•		and may r					ed Kingdom, are distinct fro er taxonomic studies are red) .
		/ /								

Bibliography

Vorburger, C. and Reyer, H.-U., 2003, A genetic mechanism of species replacement in European waterfrogs?, Conservation Genetics, , , 4(2), 141-155, .

, 1995, , , Amphibian Populations in the Commonwealth of Independent States: Current Status and Declines, Kuzmin, S.L. Dodd Jr, C.K. and Pikulik, M.M., , , Pensoft, Moscow

Puky, M. et al., 2003, , , Preliminary herpetological atlas of Hungary, , , pp. 86, Varangy Akciócsoport Egyesület, Budapest

Arnold, E.N., 2003, , , Reptiles and amphibians of Europe, , , 288, Princeton University Press,

Som, C., Anholt, B.R. and Reyer, H.-U., 2000, The effect of assortative mating on the coexistence of a hybridogenetic waterfrog and its sexual host, American Naturalist, , , 156, 34-46, ,

Puky, M., 2000, A kétéltûek védelme Magyarországon (Conservation of amphibians in Hungary), , Gerinces állatfajok védelme (Conservation of vertebrate species), Faragó, S., , 143-158, Nyugat-Magyarországi Egyetem Erdőmérnöki Kar, Sopron

Kuzmin, S.L., 1995, , , Die Amphibien Russlands und Angrenzender Gebiete, , , , Westarp – Spektrum, Magdeburg - Heidelberg

Dely, G., 1967, , , Kétéltűek-Amphibia: Magyarország Állatvilága, Faunae Hungariae, , , , Ákadémiai Kiadó, Budapest

Smit, G., 1998, DAPTF-Netherlands Report, FrogLog, , , 28, , ,

Garanin, V.I., 2000, The distribution of amphibians in the Volga-Kama region, , Advances in Amphibian Research in the former Soviet Union, , 5, 79-132, ,

Kuzmin, S.L., 1999, , , The Amphibians of the Former Soviet Union, , , , Pensoft, Sofia-Moscow

Arnold, H.R., 1995, Atlas of amphibians and reptiles in Britain, ITE research publication, , , 10, 40, , London, UK

Kalezic, M. and Dzukic, G., 2001, Amphibian status in Serbia and Montenegro (FR Yugoslavia), FrogLog, , , 45, , ,

Kuzmin, S.L., 1996, Threatened amphibians in the former Soviet Union: the current situation and the main threats, Oryx, , , 30, 24-30, ,

, 1997, , , Atlas of Amphibians and Reptiles in Europe, Gasc, J.-P., , 494, Societas Europea Herpetologica & Museum National d'Histoire Naturelle, Paris

Vogrin, N., 1997, The Status of Amphibians in Slovenia, FrogLog, , , 20, , ,

Zeisset, I. and Beebee, T.J.C., 2001, Determination of biogeographical range: an application of molecular phylogeography to the European pool frog Rana lessonae, Proceedings of the Royal Society of London Series B, , , 268, 933-938, ,

Puky, M., 2003, Az újraárasztott Nyirkai Hany - Keleti Mórrétek (Hanság) herpetofaunája (Occurrence of amphibians and reptiles in the Nyirkai Hany Keleti Mórrétek wetland restoration area, Hanság, Hungary in the first year following inundation), Folia Historico Naturalia Musei Matraensis, , , 27, 341-347, ,

Dzukic, G., Kalezic, M., Aleksic, I. and Crnobrnja, J., 1996, Green frogs exploited in the former Yugoslavia, FrogLog, , , 19, 3-4, ,

Gent, T., 1999, The UK Pool Frog species action plan, FrogLog, , , 32, , ,

Puky, M., 2003, Amphibian mitigation measures in Central-Europe, , Proceedings of the International Conference on Ecology and Transportation, 26-31 August, 2003, Lake Placid, New York, USA, Irwin, L.C., Garrett, P. and McDermott, K.P., , 413-429, Center for Transportation and the Environment, North Carolina State University, USA,

Sjögren, P., 1994, Distribution and extinction patterns within a northern metapopulation of the pool frog, Rana lessonae, Ecology, , , 75, 1357-1367. .

Wycherley, J., Doran, S. and Beebee, T.J.C., 2002, Frog calls echo microsatellite phylogeography in the European pool frog Rana lessonae, Journal of Zoology, , , 258, 479-484, ,

Ljubisavljevic, K., Dzukic, G. and Kalezic, M., 2003, Green frogs are greatly endangered in Serbia and Montenegro, FrogLog, , , 58, , ,

Burny, J. and Parent, G.H., 1985, Les grenouilles vertes de le Belgique et des régions limitrophes. Données chorologiques et écologiques, Alytes, , , 4(1), 12-33, ,

Bannikov, A.G., Darevsky, I.S., Ishchenko, V.G., Rustamov, A.K. and Szczerbak, N.N., 1977, , , Opredelitel Zemnovodnykh i Presmykayushchikhsya Fauny SSSR [Guide to Amphibians and Reptiles of the USSR Fauna], , , , Prosvechshenie, Moscow Milinski, M., 1994, Hybridogenetic Frogs on an Evolutionary Dead End Road, Trends in Ecology and Evolution, , , 9(2), 62, ,

Kovács, T., 2002, Monitoring of amphibians and reptiles along the Drava River, FrogLog, , , 52, , ,