	a simonyi			Region: 1	
Taxonomi	ic Authority:	(Steindachner, 1889)			
Synonyms	s:				
				•	
0	Carreia			,	
Order:	Sauria			Family: Laceпidae	
	taxonomy:				
<u>General</u>	<u>Information</u>		_		
Biome			restrial	Freshwater	
• .	ic Range of sp			0,	
(Spain). The and on the restricted to Gorreta, lo area of abore Chi	he species was e small offshore to the southern ocated between out four hectare ico de Salmor, a	once present throughout Roque Chico de Salmon end of the Risco de Tiba Guinea and the so-callets), with reintroduced poand at Julan and la Dehe	t much of the island r. It is currently staje, in la Fuga de d Paso del Pino (an pulations on the	species is believed to have once occurred through Hierro, being only absent from areas of laurel for herbivorous species. It has two clutches of five	ighout much of El rest. It is a largely
Conservat	tion Measures:	:		Threats:	
successful subsequen Dehesa. C population internation	Ily reintroduced nt reintroduction continued contro recovery. This nal legislation. It	to the Roque Chico de sis have taken place at Julio of feral cats should be species is protected by is listed on Appendix I of	Salmor in 1999, and ulan and at la resumed to allow national and of CITES. Both la	Roque Chico de Salmor in the 1930s through th	e overcollection of
	opulation info				
	•		animals in the wild		
(including i	re-introduced pr	·	Native		
Country	/ Distributio	Presen	ce Presence E	ctinct Reintroduced Introduced Vagrant	
Spain		\checkmark			
FAO Ma	arine Habita	Preser	nce Presence E	xtinct Reintroduced Introduced	
Major La	<u>akes</u>				
<u>Major R</u>	ivers			Common Names: El Hierro Giant Lizard English Lagarto Gigante de El Hierro Spanish Family: Lacertidae Preshwater Marine Habitat and Ecology Information: It is now confined to a small areas of cliff with sparse vegetation. The species is believed to have once occurred throughout much of El Hierro, being only absent from areas of laurel forest. It is a largely herbivorous species. It has two clutches of five to thirteen eggs. Threats: The major threat to this species is predation by feral cats, and possibly as also by dogs and rats. A remnant population was extirpated from the Roque Chico de Salmori in the 1930's through the overcollection of animals for scientific institutions and commercial interests. Control of feral cats stopped in in 2002. Extinct Reintroduced Introduced Vagrant Extinct Reintroduced Introduced Vagrant The Conservation Measures The Policy-based actions The Po	
		Common Names: Herro Giant Lizard			
Unner I	evel Habita	t Preferences	Score	Lower Level Habitat Preferences	Score
-	bland - Temper			LOWER LOVER HABITAL F TOTOLOGO	-
			·		
		,,	· ·		
and s	sea cliffs)				
Major th	reats			Conservation Measures	
	escription of th	hreat	Past Present Futu		In place Needed
	-				
sp	ecies)	. ,		1.1 Management plans	
	redators			1.1.1 Development	
			<u> </u>	1.1.2 Implementation	= =
			<u> </u>	1.2 Legislation	= =
	ub-national/natio		<u> </u>		✓
	egional/internati	ional trade	<u> </u>	1.Z. I. I IIICIIIalionalievei	✓
9 Int	trinsic factors		V V	1.2.1.2 National level	✓

V V

9.1

Limited dispersal

9.2 Poor recruitment/reproduction/regenera	ation 🗸	✓	✓	1.2.2	Impleme	ntation		✓		
9.7 Slow growth rates		<u></u>	✓	1.2.2.	1.2.2.1 International level					
9.9 Restricted range	y y	✓	✓	1.2.2.2 National level		✓				
-				2	Communication and EducationAwareness					
				2.2						
				3	Research actions			✓		
				3.2	3.2 Population numbers and range			✓		
				3.3	3.4 Habitat status			✓ ✓		
				3.4						
				3.5				✓		
				3.8	Conservation measures			> > >		
				3.9	Trends/Monitoring					
				4						
				4.1			servation	✓	✓	
				4.4			y			
				4.4.2						
				4.4.3				>	✓	
				5	Species-based actions	tions				
				5.1	Re-introductions Recovery management Ex situ conservation actions Captive breeding/Artificial propagation				✓	
				5.4			y	✓		
				5.7						
				5.7.1			✓	✓		
Utilisation of Species										
Purpose/Type of Use	Sub	osistence	9	Nationa	ıl Intern	ational	Other purpose:			
Primary forms removed from the wild	100% >75%			51-75% 26-50% <25% O			Other forms removed to	ther forms removed from the wild:		
Source of specimens in commercial trade	100%	>75%	5 5°	1-75%	26-50%	<25%	Other source of specin	nens:		
Trend in wild offtake/harvest in relation to to	ntal wild n	onulatio	n num	hers o	er last fiv	e vears:				
Trend in offtake/harvest produced through of	_	-				-				
·	ioniestica	tion/cuit	ivatioi	II OVEI I	ast live ye	ai 5.				
CITES: Appendix I										
Red Listing										
Red List Assessment: Critically Endangere	d (CR)			F	Possibly Ex	xtinct				
Red List Criteria: B1ab(v)+2ab(v)										
O	f Occupan	cy is ĺess	than	10km2,	its distribu	tion is se	Occurrence is less than 100 verely fragmented, and althes has only been increasing s	nough it is n	0	

declines might have resumed since control of feral cats has stopped).

Current Population Trend: Stable Date of Assessment: 12/17/2004

Jose Antonio Mateo Miras, Valentin Pérez-Mellado Assessor(s):

Notes on Red listing:

Bibliography

Arnold, E.N., 2003, , , Reptiles and amphibians of Europe., , , 288 pp., Princeton University Press., Princeton and Oxford.

Pleguezuelos, J.M., Márquez, R. and Lizana, M., 2002, , , Atlas y Libro Rojo de los Anfibios y Reptiles de España., , , pp. 584, Dirección General de la Conservación de la naturaleza-Associación Herpetológica Española., Madrid.

Barahona, F., Evans, S.E., Mateo, J.A., Garcia-Márquez, M. and López-Jurado, L.F., 2000, Endemism, gigantism and extinction in island lizards: the genus Gallotia on the Canary Islands., J. Zool. (London), , , 250, 373-388, ,

Bischoff, W., 1985, Die Herpetofauna der Kanarischen Inseln., Herpetofauna, , , 7(34), 11-22, ,

Bischoff, W., 1998, Bemerkungen zu den "fossilen" Rieseneidechsen der Kanarischen Inseln., Handbuch der Reptilien und Amphibien Europas. Bd. 6. Die Reptilien der Kanarischen Inseln, der Selvagens-Inseln und des Madeira Archipels., Bischoff, W., , pp. 387-407, Aula-Verlag, Wiesbaden

Bischoff, W., 2000, Rieseneidechsen auf La Gomera., Elaphe, , , 8(2), 78-81, ,

Böhme, W. and Bings, W., 1975, Zur Frage des Überlebens von Lacerta s. simonyi Steindachner (Sauria: Lacertidae)., Salamandra, , , 11(1), 39-

Carranza, S., Arnold, E.N., Thomas, R.H., Mateo, J.A. and López-Jurado, L.F., 1999, Status of the extinct giant lacertid lizard Gallotia simonyi simonyi (Reptilia: Lacertidae) assessed using mtDNA sequences from museum specimens., Herpetological Journal., , , 9(2), 83-86, ,

Hernández, E., Nogales, N. and Martín, A., 2000, Discovery of a new lizard in the Canary Islands, with a multivariant analysis of Gallotia (Reptilia: Lacertidae).

Herpetologica, , , , 56(1):, 63-76, ,

Rodríguez-Domínguez, M.A., Castillo, C., Coello, J.J. and Molina-Borja, M., 1998, Morphological variation in the lacertid Gallotia simonyi machadoi and a comparison with the extinct Gallotia simonyi simonyi from el Hierro (Canary Islands)., Herpetological Journal, , , 8(2), 85-91, , López-Jurado, L.F. and Mateo, J.A., 1999, El Lagarto de El Hierro: Bases para su conservación., Monografías de Herpetología, , , 4, , Asociación Herpetológica Española, Las Palmas de Gran Canaria

Pérez-Mellado, V., Arano, B., Astudillo, G., Cejudo, D., García-Márquez, M., Llorente, G., Márquez, R., Mateo, J.A., Orrit, N., Romero-Beviá, M. and López-Jurado, L.-F., 1997, Recovery plan for the giant lizard of Hierro Island (Canary Islands), Gallotia simonyi: Project outline and preliminary results., , Herpetologia Bonnensis, Böhme, W., Bischoff, W. and Ziegler, T., , 285-295, ,